

Applicant: Jan Wietza Huisman  
Application Serial No.: 10/575,442  
Filing Date: November 3, 2006  
Docket No.: 294-249 PCT/US  
Response to Non-Final Office Action Mailed April 18, 2008

**LISTING OF CLAIMS:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*

1.       **(Currently Amended)**       A package for products, in particular electronic components, comprising a box-shaped outer package and an inner package, wherein the outer package is provided with an inner space formed by at least a bottom and sidewalls, and the inner package is borne on at least two bearing parts of the outer package folded in the inner ~~package~~ space such that the inner package extends substantially parallel to and at a distance from the bottom of the outer package, wherein the inner package is provided with a form cavity in which said at least one product such as an electronic component can be received therein.
  
2.       **(Original)**       A package according to claim 1, wherein the inner space has a height, approximately at right angles to the bottom, which is at least twice as great as the height of the inner package, while the outer package is provided with a cover and the inner package is borne in the inner space such that it virtually abuts against the cover if the outer package is closed.
  
3.       Canceled.

Applicant: Jan Wietza Huisman  
Application Serial No.: 10/575,442  
Filing Date: November 3, 2006  
Docket No.: 294-249 PCT/US  
Response to Non-Final Office Action Mailed April 18, 2008

4. (Previously Presented) A package according to claim 1, wherein the outer package is folded from a blank, which blank comprises at least the bearing parts.

5. (Previously Presented) A package according to claim 1, wherein the outer package and the inner package are manufactured from substantially natural products, in particular materials recyclable with, or recyclable as paper.

6. **(Currently Amended)** A package according to claim 1, wherein the inner package is manufactured from a material produced on the basis of starch, ~~such as~~ Paperfoam®.

7. **(Currently Amended)** A blank for ~~an outer a package of a package according to claim 1, wherein the blank is provided with~~ comprising:

at least one bottom face,

four sidewall flaps connected to said bottom face via respective first folding lines,

two opposite sidewall flaps being connected at ~~the~~ a side remote from the bottom face via second folding lines to fold-over flaps, the fold-over flaps and/or the respective sidewall flaps each being provided on opposite sides, via third fold lines, with bearing flaps forming bearing parts which bearing flaps ~~extend such that when the box is set up, they include an acute~~ are disposed at a right angle with the bottom face and ~~include~~ include an acute angle with at least ~~one of the sidewalls, in particular with~~ the sidewall to which ~~they~~ the bearing flaps are

Applicant: Jan Wietza Huisman  
Application Serial No.: 10/575,442  
Filing Date: November 3, 2006  
Docket No.: 294-249 PCT/US  
Response to Non-Final Office Action Mailed April 18, 2008

connected via the respective third folding line, while from the bottom, the bearing flaps have a height which is smaller than the height of the sidewall flaps.

8. **(Currently Amended)** A method for packaging one or more products, in particular electronic components such as mobile phones and the like, preferably in a package according to claim 1, wherein an outer package is set up, in particular from a blank, while forming an inner space with at least two ~~and preferably at least four~~ bearing parts set up in ~~its~~ ~~four~~ corners thereof, whereupon in the inner space at least ~~accessories of the or each~~ one accessory associated with the one or more products to be packaged ~~such as a charger and booklets~~ can be laid, whereupon an inner package is laid over the at least one accessory ~~said accessories~~, borne on said bearing parts, in which inner package the one or more products ~~or each product~~ to be packaged is laid in a product cavity open at a side remote from the inner space, whereupon a cover is closed over said inner package and ~~of the or each~~ one or more products included therein.